

# MATERIAL SAFETY DATA SHEET

This MSDS complies with OSHA'S Hazard Communication Standard 29 CFR 1910.1200 and OSHA Form 174

IDENTITY AND MANUFACTURER'S INFORMATION					
<b>NFPA Rating:</b> Health-2; Flammability-1; Reactivity-1; Special-0 Manufactured For: <b>K&amp;K CHEMICAL CO.</b> Address: 1303 Industrial Drive Royse City, TX 75189			<b>HMIS Rating:</b> Health-2; Flammability-1; Reactivity-1; Personal Protection-B <b>DOT Hazard Classification:</b> ORM-D <b>Identity (trade name as used on label)</b> <b>KNOCK-OUT (A-140)</b>		
Date Prepared: 4/03/2010 Prepared By: JAM Information Calls: (800)958-6921 <b>EMERGENCY RESPONSE NUMBER: 1(800)424-9300 CHEMTREC</b>			<b>MSDS Number:</b> 110 <b>Revision-</b> 9 NOTICE: JUDGMENT BASED ON INDIRECT TEST DATA		
SECTION 1 - MATERIAL IDENTIFICATION AND INFORMATION					
COMPONENTS-CHEMICAL NAMES AND COMMON NAMES (Hazardous Components 1% or greater; Carcinogens 0.1% or greater)	CAS Number	SARA III LIST	OSHA PEL (ppm)	ACGIH TLV (ppm)	Carcinogen Ref. Source **
<b>ISOBUTANE / PROPANE BLEND</b>	75-28-5	No	800	800	d
	74-98-6	No	1000	1000	d
<b>SODIUM HYDROXIDE</b>	1310-73-2	No	2mg/M3	2mg/M3	d
<b>POTASSIUM HYDROXIDE</b>	1310-58-3	No	2mg/M3	2mg/M3	d
<b>HEXYLENE GLYCOL</b>	107-41-5	No	N/E	25	e
SECTION 2 - PHYSICAL/CHEMICAL CHARACTERISTICS					
<b>Boiling Point:</b> N/A			<b>Specific Gravity:</b> (H2O=1): Concentrate Only = 1.060		
<b>Vapor Pressure:</b> PSIG @ 70°F (Aerosols): Max. 60			<b>Vapor Pressure:</b> (Non-Aerosols)(mm Hg and Temperature): N/A		
<b>Vapor Density:</b> (Air = 1): N/E			<b>Evaporation Rate:</b> ( BuAc = 1): Slower		
<b>Solubility in Water:</b> Soluble			<b>Water Reactive:</b> No		
<b>Appearance and Odor:</b> Tan foamy gel with lemon fragrance.					
SECTION 3 - FIRE AND EXPLOSION HAZARD DATA					
<b>FLAMMABILITY</b> as per USA FLAME PROJECTION TEST (aerosols) <b>NON-FLAMMABLE</b>		<b>Auto Ignition Temperature</b> N/E		<b>Flammability Limits in Air by % in Volume:</b> % LEL: N/E % UEL: N/E	
<b>FLASH POINT AND METHOD USED</b> (non-aerosols): N/A			<b>EXTINGUISHER MEDIA:</b> Foam, dry chemical, carbon dioxide, water.		
<b>SPECIAL FIRE FIGHTING PROCEDURES:</b> Self-contained breathing apparatus.					
<b>Unusual Fire &amp; Explosion Hazards:</b> Do not expose aerosols to temperatures above 130°F or the container may rupture.					
SECTION 4 - REACTIVITY HAZARD DATA					
<b>STABILITY</b> <input checked="" type="checkbox"/> STABLE <input type="checkbox"/> UNSTABLE			<b>HAZARDOUS POLYMERIZATION</b> <input type="checkbox"/> WILL <input checked="" type="checkbox"/> WILL NOT OCCUR		
<b>Incompatibility</b> (Mat. to avoid): Strong acids and oxidizers.			<b>Conditions to Avoid:</b> Open flame, welding arcs, heat.		
<b>Hazardous Decomposition Products:</b> CO, CO2.					
SECTION 5 - HEALTH HAZARD DATA					
<b>PRIMARY ROUTES OF ENTRY:</b> <input checked="" type="checkbox"/> INHALATION <input type="checkbox"/> INGESTION <input checked="" type="checkbox"/> SKIN ABSORPTION <input type="checkbox"/> EYE <input type="checkbox"/> NOT HAZARDOUS					
ACUTE EFFECTS					
<b>Inhalation:</b> Excessive inhalation of vapors can be harmful and may cause headache, dizziness, asphyxia, anesthetic effects and possible unconsciousness.					
<b>Eye Contact:</b> CAUSTIC: May cause burns.			<b>Skin Contact:</b> CAUSTIC: May cause burns.		
<b>Ingestion:</b> Possible chemical pneumonitis if aspirated into lungs. CAUSTIC: May cause burns.					
<b>CHRONIC EFFECTS:</b> Lab animals have experienced anemia, liver, kidney, lung, blood damage to Hexylene Glycol. (Effects due to excessive exposure to the raw materials of this mixture) May cause burns, dermatitis, respiratory illness, nystagmus and central nervous disorders.					
<b>Medical Conditions Generally Aggravated by Exposure:</b> May aggravate existing eye, skin, or upper respiratory conditions.					
EMERGENCY FIRST AID PROCEDURES					
<b>Eye Contact:</b> Flush with water for 15 minutes. If irritated, seek medical attention.					
<b>Skin Contact:</b> Wash with soap and water. If irritated, seek medical attention.					
<b>Inhalation:</b> Remove to fresh air. Resuscitate if necessary. Get medical attention.					
<b>Ingestion:</b> DO NOT INDUCE VOMITING. Drink two large glasses of water or milk. Get immediate medical attention.					
SECTION 6 - CONTROL AND PROTECTIVE MEASURES					
<b>Respiratory Protection (specify type):</b> If vapor concentration exceeds TLV, use respirator approved by NIOSH in positive pressure mode.					
<b>Protective Gloves:</b> Rubber gloves.			<b>Eye Protection:</b> Safety glasses recommended.		
<b>Ventilation Requirements:</b> Adequate ventilation to keep vapor concentration below TLV.					
<b>Other Protective Clothing &amp; Equipment:</b> None					
<b>Hygienic Work Practices:</b> Wash with soap and water before handling food. Remove contaminated clothing.					
SECTION 7 - PRECAUTIONS FOR SAFE HANDLING AND USE					
<b>Steps To Be Taken If Material Is Spilled Or Released:</b> Absorb with suitable medium. Incinerate or landfill according to local, state or Federal regulations. Dilute with water, absorb with cloth or neutralize with dilute acid and flush to sewer.					
<b>Waste Disposal Methods:</b> Aerosol cans when vented to atmospheric pressure through normal use, pose no disposal hazard.					
<b>Precautions To Be Taken In Handling &amp; Storage:</b> Do not puncture or incinerate containers. Do not store at temperatures above 130°F.					
<b>Other Precautions &amp;/or Special Hazards:</b> KEEP OUT OF REACH OF CHILDREN. Avoid food contamination. Do not use on aluminum. Avoid breathing vapors.					

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind.

\*\* Chemical Listed as Carcinogen or Potential Carcinogen. [a] NTP [b] IARC Monograph [c] OSHA [d] Not Listed [e] Animal Data Only