

MATERIAL SAFETY DATA SHEET

This MSDS complies with OSHA'S Hazard Communication Standard 29 CFR 1910.1200 and OSHA Form 174

IDENTITY AND MANUFACTURER'S INFORMATION	
NFPA Rating: Health-2; Flammability-1; Reactivity-0; Special- -	HMIS Rating: Health-2; Flammability-1; Reactivity-0; Personal Protection-B
Manufactured For: K&K CHEMICAL CO. Address: 1303 Industrial Drive Royse City, TX 75189	DOT Hazard Classification: ORM-D Identity (trade name as used on label) QUICK FIX (A-159)
Date Prepared: 4/13/2010 Prepared By: JAM	MSDS Number: A00806 Revision- 15
Information Calls: (800)958-6921	NOTICE: JUDGMENT BASED ON INDIRECT TEST DATA
EMERGENCY RESPONSE NUMBER: 1(800)424-9300 CHEMTREC	

SECTION 1 - MATERIAL IDENTIFICATION AND INFORMATION					
COMPONENTS-CHEMICAL NAMES AND COMMON NAMES (Hazardous Components 1% or greater; Carcinogens 0.1% or greater)	CAS Number	SARA III LIST	OSHA PEL (ppm)	ACGIH TLV (ppm)	Carcinogen Ref. Source **
ETHANOL	64-17-5	No	1000	1000	d
AMMONIUM HYDROXIDE	1336-21-6	No	35	25	d
MONOETHANOLAMINE	141-43-5	No	3	3	d
ISOBUTANE / PROPANE BLEND	75-28-5	No	800	800	d
	74-98-6	No	1000	1000	d
2-BUTOXYETHANOL*	111-76-2	Yes	25 (skin)	25 (skin)	d
ISOPROPANOL	67-63-0	No	400	400	d
*GLYCOL ETHER					

SECTION 2 - PHYSICAL/CHEMICAL CHARACTERISTICS	
Boiling Point: N/A	Specific Gravity: (H2O=1): Concentrate Only = 0.975
Vapor Pressure: PSIG @ 70°F (Aerosols): Max. 60	Vapor Pressure: (Non-Aerosols)(mm Hg and Temperature): N/A
Vapor Density: (Air = 1): N/E	Evaporation Rate: (BuAc = 1): Slower
Solubility in Water: Soluble	Water Reactive: No
Appearance and Odor: White foam spray, with ammonia and alcohol odor.	

SECTION 3 - FIRE AND EXPLOSION HAZARD DATA		
FLAMMABILITY as per USA FLAME PROJECTION TEST (aerosols) NON-FLAMMABLE	Auto Ignition Temperature N/E	Flammability Limits in Air by % in Volume: % LEL: N/E % UEL: N/E
FLASH POINT AND METHOD USED (non-aerosols): N/A	EXTINGUISHER MEDIA: Foam, dry chemical, carbon dioxide, water.	
SPECIAL FIRE FIGHTING PROCEDURES: Use water spray to keep containers cool. Self-contained breathing apparatus.		
Unusual Fire & Explosion Hazards: Do not expose aerosols to temperatures above 130°F or the container may rupture.		

SECTION 4 - REACTIVITY HAZARD DATA	
STABILITY <input checked="" type="checkbox"/> STABLE <input type="checkbox"/> UNSTABLE	HAZARDOUS POLYMERIZATION <input type="checkbox"/> WILL <input checked="" type="checkbox"/> WILL NOT OCCUR
Incompatibility (Mat. to avoid): Strong organic acids, strong mineral acids, alkali metals, copper.	Conditions to Avoid: Open flame, welding arcs, heat.
Hazardous Decomposition Products: CO, CO2, nitrogen compounds, ammonia.	

SECTION 5 - HEALTH HAZARD DATA	
PRIMARY ROUTES OF ENTRY: <input checked="" type="checkbox"/> INHALATION <input type="checkbox"/> INGESTION <input checked="" type="checkbox"/> SKIN ABSORPTION <input type="checkbox"/> EYE <input type="checkbox"/> NOT HAZARDOUS	
ACUTE EFFECTS	
Inhalation: Excessive inhalation of vapors can be harmful and may cause headache, dizziness, asphyxia, anesthetic effects and possible unconsciousness.	
Eye Contact: Irritation, redness.	Skin Contact: Irritation, redness.
Ingestion: ASPIRATION HAZARD. Possible chemical pneumonitis if aspirated into lungs. Nausea, diarrhea.	
CHRONIC EFFECTS: (Effects due to excessive exposure to the raw materials of this mixture) May cause nasal and respiratory irritation, diarrhea, vomiting. Lab animals have experienced anemia, liver, kidney, lung, blood damage to Glycol Ether EB.	
Medical Conditions Generally Aggravated by Exposure: May aggravate existing eye, skin, or upper respiratory conditions.	

EMERGENCY FIRST AID PROCEDURES	
Eye Contact: Flush with water for 15 minutes, followed by a 1% saline solution. If irritation continues, seek medical attention.	
Skin Contact: Wash affected area with soap and water. If irritated, seek medical attention. Remove contaminated clothing and launder before reuse.	
Inhalation: Remove to fresh air. Resuscitate if necessary. Get medical attention.	
Ingestion: DO NOT INDUCE VOMITING. ASPIRATION HAZARD. Get immediate medical attention.	

SECTION 6 - CONTROL AND PROTECTIVE MEASURES	
Respiratory Protection (specify type): If vapor concentration exceeds TLV, use respirator approved by NIOSH to be used in a positive pressure mode.	
Protective Gloves: Rubber gloves recommended.	Eye Protection: Safety glasses recommended.
Ventilation Requirements: Adequate ventilation to keep vapor concentration below TLV.	
Other Protective Clothing & Equipment: None	
Hygienic Work Practices: Wash with soap and water before handling food.	

SECTION 7 - PRECAUTIONS FOR SAFE HANDLING AND USE	
Steps To Be Taken If Material Is Spilled Or Released: Absorb spilled liquid with suitable medium. Place in closed drum for proper disposal. Incinerate or landfill according to local, state or Federal regulations. Small spills can be flushed to sewer.	
Waste Disposal Methods: Aerosol cans when vented to atmospheric pressure through normal use pose no disposal hazard.	
Precautions To Be Taken In Handling & Storage: Do not puncture or incinerate containers. Do not store at temperatures above 130°F.	
Other Precautions &/or Special Hazards: KEEP OUT OF REACH OF CHILDREN. Avoid food contamination. Avoid inhalation of vapors.	

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind.

** Chemical Listed as Carcinogen or Potential Carcinogen. [a] NTP [b] IARC Monograph [c] OSHA [d] Not Listed [e] Animal Data Only